LISTINGS OF CLAIMS

Please amend the claims as follows:

 (Currently amended) A method for accessing a data processing system that is formed from data processing units that are networked to one another comprises:

configuring a processor to perform:

providing a first authentication that authenticates a system administrator,

authenticating the system administrator on a first data processing unit by transferring the first authentication to an authentication program,

providing a second authentication that authenticates a system technician,

authenticating the system technician on a second data processing unit by transferring the second authentication to the authentication program and generating an identification information item that identifies the carrier of the second authentication, the first data processing unit being remote from the second data processing unit.

displaying the identification information item on the first data processing unit of the system administrator,

enabling the access authorization after checking whether the first authentication and second authentication are authenticated at the same time;

enabling access authorization to the system technician when the first authentication is authenticated at the first data processing unit and the second authentication is authenticated at the second data processing unit, and

checking whether the first authentication and second authentication are authenticated at a same time prior to enabling the access authorization.

automatic triggering a function that generates and stores a log file that logs the activity of the system technician on the <u>first</u> data processing system.

2. (Previously Presented) The method as claimed in claim 1, wherein the second authentication is compared in the authentication program to a file that contains the second authentication, and when there is correspondence with the second authentication a corresponding information item is transferred to the system administrator.

- (Previously Presented) The method as claimed in claim 2, wherein the second authentication contained in the file is assigned an identification information item that is specific thereto.
- (Currently Amended) The method as claimed in claim 3, wherein the identification information item comprises a the-name of the system technician.

5-8. (Cancelled)

 (Currently Amended) A method for accessing a data processing system that is formed from data processing units that are networked to one another comprises:

configuring a processor to perform:

providing a first authentication that authenticates a system administrator, authenticating the system administrator on a first data processing unit by transferring the first authentication to an authentication program,

providing a second authentication that authenticates a system technician, authenticating the system technician on a second data processing unit by transferring the second authentication to the authentication program and generating an identification information item that identifies the carrier of the second authentication, the first data processing unit being remote from the second data processing unit,

displaying the identification information item on the first data processing unit of the system administrator,

enabling the access authorization after checking whether the first authoritication and second authentication are authoriticated at the same time; and

enabling access authorization to the system technician when the first authentication and second authentication are authenticated at the a same time and triggering of a function that generates and stores a log file that logs thean activity of the system technician on the second data processing system, and

checking whether the first authentication and second authentication are authenticated at the same time prior to enabling access authorization,

wherein the enabling of an access authorization is done via the system administrator by manually triggering a function that is provided for this purpose in the authentication program, and can be accessed exclusively by the system administrator.

- 10. (Currently Amended) The method as claimed in claim 9, wherein the data processing system processes data that can be accessed by individuals with a simple authorization according to a the-two man principle when the particular authorization is not present.
- 11. (Previously Presented) The method as claimed in claim 10, wherein proof of the particular authorization is given by transferring a third authentication to the data processing system.
- (Previously Presented) The method as claimed in claim 10, wherein the data is personal data that requires protection.
- 13. (Previously Presented) The method as claimed in claim 1, wherein the connection between the first data processing unit and the second data processing unit is established via the Internet or via an Intranet.
- 14. (Previously Presented) The method as claimed in claim 3, wherein the identification information item comprises the membership of the system technician of a specific organization.
- 15. (Cancelled)
- 16. (Previously Presented) The method as claimed in claim 11, wherein the third authentication is assigned to the person.

